

FACE RECOGNITION



*Facial Recognition Distance:
1.5 to 7.5 ft
(0.5 to 2.3 m)*

Secure and easy-to-use
biometric access control and
health management

Mask detection option and
temperature readings
within 0.5°F (0.3°C) accuracy

*Temperature Measuring Distance:
1.5 to 4 ft (0.5 to 1.3 m)*



BODY TEMPERATURE DETECTION



The FTC-1000, designed for facial recognition and temperature detection, ensures hygienic touch-free access and health management. Quick and easy installation makes it suitable for any environment.

Management software is included for configuration and administration of devices. The terminal recognizes faces even if the user is wearing a mask (PPE). This biometric solution is designed to promote the health and safety of employees and visitors.

www.cdvi.ca



FTC-1000 Facial Recognition and Temperature Detection



Automatic Management of
Entrances for Epidemic Prevention

FTC-1000 Facial Recognition / Temperature Detection

SPECIFICATIONS



- ◆ Display: 7" HD LCD
600 x 1024
- ◆ Camera Resolution :
2 Mega Pixel (JPEG)
- ◆ Face database capacity:
30,000 Face (template)
- ◆ Response Speed:
200 ms
- ◆ Temperature sensor:
Thermopile Infrared
- ◆ RS485 Port
- ◆ Alarm:
 - on display
 - vocal message
 - smartphone
- ◆ Operating temperature:
50°F to 122°F
(10°C to 50°C)
- ◆ Power Supply (Provided):
12 VDC / 2 A
- ◆ Monitor Dimension:
8.6 W x 4.4 H x 0.85 L in

www.cdvi.ca



Voice and Visual notification
in the presence of a high
temperature.



ACCESSORIES



C20 DESKTOP
1.3 x 7.4 H in.
(33 x 189 H)



C60 BASE
23.5 in.
(60 cm)



C110 BASE
43 in.
(110 cm)